STATEMENT OFWORK (SOW)

FOR THE

REBUILD OF THE ASSAULT AMPHIBIOUS VEHICLE (AAV) MAGNETIC DRIVE ASSEMBLY

NSN 3010-01-227-5862

STATEMENT OF WORK FOR THE REBUILD OF THE AAV MAGNETIC DRIVE ASSEMBLY NSN 3010-01-227-5862

Table of Contents

Section	Page	
1.0	SCOPE	1
1.1	Background	1
2.0	APPLICABLE DOCUMENTS	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	REQUIREMENTS	2
3.1	General Tasks	2 3 3
3.2	Detailed Tasks	3
3.2.1	Phase I-Rebuild	3
3.2.2	Phase II-Inspection, Testing, and Acceptance	3
3.2.3	Phase III-Packaging, Handling, Storage	3
	And Transportation (PHS&T)	
3.3	Configuration Management	4
3.4	Government Furnished Equipment (GFE)/Government	4
	Furnished Materiel (GFM)	
3.5	Contractor Furnished Materiel (CFM)	4
3.6	Quality Assurance Provisions	4
4.0	REPORTS	5
4.1	Monthly Production Status Report	5

STATEMENT OF WORK FOR THE REBUILD OF THE AAV MAGNETIC DRIVE ASSEMBLY NSN 3010-01-227-5862

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW), along with TM 07267B-25&P/2 establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor in the rebuild of the Assault Amphibious Vehicle (AAV) Magnetic Drive Assembly, hereafter referred to as the Magnetic Drive Assembly. This document contains minimum requirements to restore the Magnetic Drive Assembly to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining". National Stock Number (NSN) 3010-01-227-5862 identifies the Magnetic Drive Assembly.
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through complete disassembly of the item; inspection of all parts or components, repair or replacement of worn or unserviceable parts using original manufacturing tolerances and/or specifications, and subsequent reassembly of the item."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

DoD 4160.21-M-1

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

MIL-STD-129 DoD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

Engineering Drawing
5433196, CAGE 53711

DoD 4000.25-1-M

Military Standard Requisition and Issue Procedures

(MILSTRIP)

Defense Demilitarization Manual

TM 2350-45 DMA Standard Procedures

TM 07267B-25&P/2 Maintenance Instruction and Repair Parts List

Organizational, Intermediate and Depot Assault

Amphibious Vehicle Recovery Model 7A1 AAVR&A1

Military Handbooks (For Guidance)

MIL-HDBK-61 Conf

Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9001-2000 Quality Management Systems-Requirements

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standards for Configuration Management

Copies of Military Standards and Specifications are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or http://www.dodssp.daps.mil. Copies of other Government documents and publications requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of Engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: (Code 583-1), 814 Radford Blvd., STE 20320 Albany, GA 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 REOUIREMENTS

- 3.1 General Tasks. In fulfilling the specified requirements, the Contractor shall:
- a. Provide materials, labor, facilities, and services necessary to troubleshoot, test, diagnose, engineer, integrate, install, repair, rebuild, and calibrate as required to make the Magnetic Drive Assembly, fully operational. Upon completion of the rebuild, the Magnetic Drive Assembly shall be in Condition Code "A".
- b. Conduct final-on-site testing, which shall be witnessed by Marine Corps Systems Command (MCSC) (PMM143), Albany, Georgia representative.
- c. The Contractor shall be responsible for all structural, electrical, and mechanical requirements associated with the rebuild of the above components and assemblies as specified in TM 07267B-25&P/2, TM 2350-45, and this Statement of Work.

- d. Ensure all Magnetic Drive Assemblies meet the configuration of Engineering Drawing 5433196, CAGE 53711.
- e. All mandatory replacement parts identified in TM 07267B-25&P/2 shall be replaced 100%. Economical replacement parts may be reused if they meet the applicable inspection requirements in TM 2350-45. All parts shall be disposed of in accordance with DoD 4160.21-M-1.
- 3.2 <u>Detailed Tasks</u>. The following tasks describe the different phases for the rebuild of the Magnetic Drive Assembly.
- 3.2.1 <u>Phase I Rebuild</u>. The Contractor shall receive the Magnetic Drive Assembly for rebuild. The Contractor shall then disassemble the Magnetic Drive Assembly into components and conduct the rebuild process. The Contractor shall rebuild components in accordance with TM 07267B-25&P/2 and this SOW. The Contractor shall be responsible for supplying all equipment, tools, test equipment, and materials for the conduct of this effort. The Contractor shall be responsible for the integration and assembly of all components. The configuration identification for the Magnetic Drive Assembly is defined by the specifications annotated on the current revision level of Engineering Drawing 5433196, CAGE 53711.
- 3.2.2 <u>Phase II Inspection, Testing, and Acceptance</u>. Inspection, testing, and acceptance of the Magnetic Drive Assembly shall be conducted in accordance with TM 07267B-25&P/2, and ANSI/ISO/ASQC Q9001-2000. The Contractor shall correct any deficiencies discovered.

3.2.3 Phase III – Packaging, Handling, Storage, and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of item(s) being rebuilt under the terms of this Statement of Work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with Level "A" requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia, Specialized Preservation Code "DB". Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with Level "B" requirements.
 - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps shall provide the Contractor with the shipping address(es) for the delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps shall be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

3.3 Configuration Management

- a. The Contractor shall apply configuration control procedures to established configuration items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. Procedures or materials contained in manuals, standards and instructions or engineering drawings/documents define the item's characteristics. If deemed necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request For Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing RFDs.
- b. The creation and submission of RFDs shall be accomplished using MEARS CREATE software, which resides at a secure web site, https://mears1.redstone.army.mil. For the purpose of gaining access to the web site, the Contractor shall request user-id and password privileges from the Requiring Office identified in Block 6 of the applicable Contract Data Requirements List. The Contractor shall direct technical or functional questions concerning usage of MEARS CREATE software to the Requiring Office for guidance. The Contractor shall notify the Requiring Office by electronic mail when completed MEARS RFDs are ready for formal submission.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 571-1) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and property responsibility for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD 1348 to Materiel Management Department, Management Control Activity (Code 571-1), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320 or faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition material as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP), Chapter 11, provides guidance to the Contractors on the requisitioning process. The Contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.

3.6. Quality Assurance Provisions

3.6.1 The performance of the Contractor's quality of work performed, materiel provided and documents written shall be subject to in-process review and inspection by the MCSC (PMM143), Albany, Georgia representative during contract performance. Inspection may be accomplished at any work location. The MCSC (PMM143), Albany, Georgia representative shall be permitted to observe the work/tasks accomplishment and/or to conduct inspections

during normal working hours. Acceptance Tests shall be held in-plant. The MCSC (PMM143), Albany, Georgia representative requires, at a minimum, two weeks notification of acceptance test to allow for sufficient time for MCSC (PMM143), Albany, Georgia representative to witness acceptance. Inspection by the MCSC (PMM143), Albany, Georgia representative of all acceptance tests, materials and associated lists furnished hereunder does not relieve the Contractor from any responsibility regarding defects or other failures to meet the SOW requirements which may be disclosed prior to final acceptance.

- 3.6.2 The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000. The Contractor's work shall be subject to in-process reviews and inspections for compliance with these procedures and standards by MCSC (PMM143), Albany, Georgia representative. Noncompliance with these quality assurance procedures resulting in degraded quality of work may result in a stop-work order requiring action by the Contractor to correct the work performed and to enforce compliance with quality assurance procedures or face contract termination. Notwithstanding such inspection, it shall be the Contractor's responsibility to ensure that the entire system meets the performance requirements of this SOW.
- 4.0 <u>REPORTS</u>. All deliverables shall be submitted in hard copy to Marine Corps Systems Command, Attn: (Code PMM143), 814 Radford Blvd., Suite 20343, Albany Georgia 31704-0343, unless directed otherwise in a Contract Data Requirements List.
- 4.1 <u>Monthly Production Status Report</u>. A Monthly Production Status Report shall be submitted summarizing the progress and status of the Magnetic Drive Assembly.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of 10 fernse, Washington Headquarters Services, Directorate for Information Department of 10 fernse, Washington Headquarters Services, Directorate for Information Department of 10 fernse, Washington Headquarters Services, Directorate for Information Department of 10 fernse, Washington Headquarters Services, Directorate for Information Department of 10 fernse, Washington Headquarters Services, Directorate for Information Department of 10 fernse, Washington Headquarters Services, Directorate for Information Place (10 fernse) and Place

A. CONTRACT LINE I	TEM NO.	B. EXHIBIT C. CATEGORY: TOP TM OTHER								
D. SYSTEM/ITEM		E. CONTRACT/PR NO.		F. CONTRACTOR						
AAV Magnetic Drive Assembly			I. CONTINA							
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					17. PRICE GROUP
A001	PROD	LICTION	I STATUS RE	PORT	М	Ionthly Production S	li			
4. AUTHORITY (Data Acquisi			5. CONTRACT REFEREN			Monthly Production Status Report 8. REQUIRING OFFICE				18. ESTIMATED
	MGMT-81255		SO'	W par.4.1	PMM 143/AAVS				TOTAL PRICE	
	9. DIST STATEMENT REQUIRED	10. FREQUENC		W par.4.1		14. DISTRIBUTION				
LT 8. APP CODE		11. AS OF DAT	THLY	see Blk 16		-		b. COPIES		
B. AFF GODE	Α	11. AS OF SAI	ı t	SUBMISSION		a. ADDRESSEE	Draft Reg Repro			
18. REMARKS	otor format is out	l borised	Delete the fell			MCSC (AAVS)	0	ney 1	О	, i
do not apply to	ctor format is aut the deliverable.	Albany, GA		_		ļ i				
		(SCMC (576-2)	0	1	0					
In paragraph 10.2.1.d use job order number or contract number In paragraph 10.24 and 10.27 replace "CLIN" with "CLIN or MWSLIN" (Master work Schedule Line Item Number)										
			·							
Blocks 10 and first submission	12. The report shan shall be 30 days	all be sub after the	mitted on the contract awar	tenth of each mo	nth. The					
The production Status Report shall be transmitted via E-Mail to the following addresses HoffmanRE@mcsc.usmc.mil and MaynardVM@matcom.usmc.mil										
Distribution Statement A: Approval for public release, distribution is unlimited.										
Distribution 5ta	atement A. Appro	vai ioi p	ublic release,	uisti ibution is um	initea.					İ
							· · · · · ·			
										·
					-					'
										ı İ
						* -				.!
										į
						M. Landa and A. L.				
						<u></u>				
10										l!
						15. TOTAL	0	2	0	
G. PREPARED BY J. DATE J. APPROVED BY									 	
4.29-03 (Shows) 4/28/13								13	.	
DD FORM 1423-1	1, AUG 96 (EG)			EVIOUS EDITION MAY BE	USEO.)	Page _	of_	Pages	1
	•			•		Designed	using Perform	Pro, WHS/D		

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jetferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contracti/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT			C. CATEGORY: TDP TM OTHER X							
D. SYSTEM/ITEM		E. CONTRACT/PR NO.		F. CONTRA		İ						
Magnetic Drive Assembly												
1. DATA IYEM NO. 2. TITLE OF DATA ITEM						3. SUBTITLE					17. PRICE GROUP	
A002		Configuration Ma						ent				
A 0 0 2 Request For Deviation 4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE					CE 6. REQUIRING OFFICE							18. ESTIMATED TOTAL PRICE
7. DD 250 REQ	DI-CMAN-80640C 7. DD 250 REQ 9. DIST STATEMENT 10. FREQUENCY				SOW 3.3			MCLBA (583)				
LT	REQUIRED		SREQ	ASREQ			14. DISTRIBU	DISTRIBUTION				
8. APP CODE		11. AS OF DAT			. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	DDRESSEE		b. COPIES Final		
A	A		N/A	N/A					Draft	Reg	Repro	
16. REMARKS							MOLD	A (500 1)	,			
BLK 4: MEARS RFD text files shall be sumitted electronically using MICROSOFT (.doc) or ADOBE (.pdf) formatted software products.								A (583-1)	0	1	0	
		· - ·		-		_						Ì
BLK4: Accompanying figures to the text files shall be in a MICROSOFT format or CCITT Group 4 graphic file. Group 4 files shall have a minimum density of 600 dpi.												
BLKs 10 & 12	: RFDs shall be s	submitted	to obtain auth	orizat	tion to delive	er		***************************************				
BLKs 10 & 12: RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.												
BLK 14: RFD notification shall be accomplished via e-mail to the following address: smithdc@matcom.usmc.mil												
MEARS CREA	ATE user-id and n	asssword	will be assign	ned hv	the Requiri	no						
Office.	ATE user-id and p	abbb W of a	. Will ob assign	iou oj	uio requir	 6			1			
Questions concerning MEARS CREATE functionality shall be directed to the Requiring Office. POC is Doug Smith and can be contacted at DSN 567-6057 or email to: smithdc@matcom.usmc.mil												
	atement A: Appro											
Distribution 5th	atement A. Appro	oved for	public release,	, uisui	ioution is un	iiiiiiieu.						
								117107, 118144 - 1				
!												ļ
												-
								···	1			
									1			
:												
							15. TOTAL			1		
G. PREPARED BY			H. DATE		I. APPROVED B	1	1		J. DATE	-	·	
Dana Smit 4-29-03 88 Hay						Hef	Ima 1/1			29/	13	
DD EODM 1/22	AUC OR /EC		DD	EVIDIE	EDITION MAY BE	ioen /			Podo	25	Pages	1